SPILL & DISPOSAL PROCEDURES – ISOCYANATE (ISO or A)

5

foam supplies, inc.

MPORTANT Read through all the steps before starting procedure. Please refer to the appropriate MSDS for proper safe handling including the use of safety glasses, protective gloves, and respirator protection where needed. For any reason if you do not understand, or are uncertain of any or all procedures and instructions given to you by Foam Supplies, Inc. and its representatives please contact our Technical Dept. first, before attempting procedures. We will be happy to assist.

PROTECTIVE EYEWEAR AND GLOVES REQUIRED!

SPILLS/LEAKS: Refer to MSDS.


1. Evacuate and ventilate spill area. Notify appropriate personnel.

🔔 do not use water.

- 2. Wear appropriate protective equipment during clean up. See MSDS.
- 3. Dike spill to prevent entry into water or sewage system.
- 4. May present a slipping hazard.

MAJOR SPILL:

- 1. Call Foam Supplies, Inc. at 1.314.344.3330
- 2. For spills in transit, call **CHEMTREC:**



3. Large quantities should be pumped into closed but NOT SEALED containers for disposal.

MINOR SPILL:

- 1. Absorb the spill with dry sawdust, floor-dry, or other suitable absorbent material.
- 2. Shovel into open top containers. 📣 DO NOT SEAL! DO NOT MAKE PRESSURE-TIGHT!
 - Prolonged contact with moisture results in a chemical reaction, which may result in rupture of the container!
- 3. Clean up floor areas. Attempt to neutralize using a decontamination solution:

Formula 1: Sodium Carbonate 5-10%; Liquid Detergent 0.2%; Water 89.8%-94.8%.

Formula 2: Concentrated ammonia solution 3-8%; Liquid Detergent 0.2%, Water 91.8%-96.8%. If ammonia formula is used, good ventilation is required to prevent exposure to vapor.

DISPOSAL METHOD:

- 1. Follow all Federal, State and Local regulations.
- 2. Contact a licensed hazardous waste disposal contractor for neutralization and proper disposal of isocyanate, neutralizing or rinsing liquids, and containers.
- 3. Obtain certification and receipts of proper disposal from contractor.